

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	"20030005097"	USPAT	OR	OFF	2007/12/03 13:06
S2	1	"20030005097"	US-PGPUB; USPAT	OR	OFF	2007/12/03 13:26
S3	1	"20030005097" and policy	US-PGPUB; USPAT	OR	OFF	2005/12/27 10:36
S4	1	"20030005097" and policy	US-PGPUB; USPAT	OR	ON	2005/12/27 10:36
S5	9	"952513"	US-PGPUB; USPAT; EPO	OR	ON	2005/12/27 10:37
S6	5	"6678068"	US-PGPUB; USPAT; EPO	OR	ON	2005/12/27 10:37
S7	1	"6820124"	US-PGPUB; USPAT; EPO	OR	ON	2005/12/27 17:24
S8	5	"6628413"	US-PGPUB; USPAT; EPO	OR	ON	2005/12/27 10:42
S9	0	"10043924"	US-PGPUB; USPAT; EPO	OR	ON	2005/12/27 17:24
S10	15	"6538669"	US-PGPUB; USPAT; EPO	OR	ON	2005/12/27 17:24
S11	5400282	system (manager\$1 operator \$1 administrator\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 11:16
S12	5002125	system (manager\$1 operator \$1 administrator\$1) and print \$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 11:03
S13	149302	system and (manager\$1 operator\$1 administrator\$1) and print\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 11:03
S14	55785	system near15 (manager\$1 operator\$1 administrator\$1) and print\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 11:03
S15	2651	system near15 (manager\$1 operator\$1 administrator\$1) and (network near2 print\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 11:15
S16	11956317	((@lad<"20010628" @ad<"20010628"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 18:56

S17	1757	S15 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 11:16
S18	338722	S11 same (sav\$3 stor\$3 queu \$4) same (specification configuration configure rule \$1 setting condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 11:22
S19	853	S18 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 16:06
S20	341877	S11 same (sav\$3 stor\$3 queu \$4) same (specification configuration configure rule \$1 polic\$2 setting condition \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 11:22
S21	5400282	system (manager\$1 operator \$1 administrator\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 16:57
S22	11956317	((@rlad<"20010628" @ad<"20010628"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 16:06
S23	341877	S21 same (sav\$3 stor\$3 queu \$4) same (specification configuration configure rule \$1 polic\$2 setting condition \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 16:57
S24	166708	S23 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 16:08
S25	1625	S24 and (network near2 print \$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 16:08
S26	1553	S24 and (network near2 print \$2) and printer\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 17:02
S27	4426	358/1.15	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 16:10
S28	281	S26 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 16:19
S29	5400282	system (manager\$1 operator \$1 administrator\$1 administrator)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 16:56

S30	687497	S21 and (sav\$3 stor\$3 queue\$4) same (specification configuration configure rule \$1 polic\$2 setting condition \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 16:58
S31	1135791	(manager\$1 operator\$1 administrator\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 16:57
S32	235677	S31 and (sav\$3 stor\$3 queue\$4) same (specification configuration configure rule \$1 polic\$2 setting condition \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 17:02
S33	131860	S32 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 17:02
S34	1918	S33 and (network near2 print \$2) and printer\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 18:40
S35	358	S34 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 17:03
S36	154	S34 and S27 and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 18:40
S37	154	S34 and S27 and queue and printers	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 18:40
S38	18962	S33 and network and printers	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 18:41
S39	8828	S33 and network same printers	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 18:41
S40	640	S39 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 18:41
S41	234	S39 and S27 and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 18:42
S42	247	S39 and S27 and queue\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 18:42

S43	0	"20030005097"	USPAT	OR	OFF	2006/06/02 19:05
S44	1	"20030005097"	US-PGPUB; USPAT	OR	OFF	2006/06/02 19:05
S45	1	"20030005097" and policy	US-PGPUB; USPAT	OR	OFF	2006/06/02 19:05
S46	1	"20030005097" and policy	US-PGPUB; USPAT	OR	ON	2006/06/02 19:05
S47	11	"952513"	US-PGPUB; USPAT; EPO	OR	ON	2006/06/02 19:05
S48	5	"6678068"	US-PGPUB; USPAT; EPO	OR	ON	2006/06/02 19:05
S49	1	"6820124"	US-PGPUB; USPAT; EPO	OR	ON	2006/06/02 19:05
S50	6	"6628413"	US-PGPUB; USPAT; EPO	OR	ON	2006/06/02 19:05
S51	0	"10043924"	US-PGPUB; USPAT; EPO	OR	ON	2006/06/02 19:05
S52	22	"6538669"	US-PGPUB; USPAT; EPO	OR	ON	2006/06/02 19:05
S53	5400282	system (manager\$1 operator \$1 administrator\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 19:05
S54	5002125	system (manager\$1 operator \$1 administrator\$1) and print \$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 19:05
S55	149302	system and (manager\$1 operator\$1 administrator\$1) and print\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 19:05
S56	55785	system near15 (manager\$1 operator\$1 administrator\$1) and print\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 19:05
S57	2651	system near15 (manager\$1 operator\$1 administrator\$1) and (network near2 print\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 19:05
S58	11956317	((@rld<"20010628" @ad<"20010628"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 19:05
S59	1757	S57 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 19:05
S60	338722	S21 same (sav\$3 stor\$3 queu \$4) same (specification configuration configure rule \$1 setting condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 19:05

S61	853	S60 and S59	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 19:05
S62	341877	S21 same (sav\$3 stor\$3 queue\$4) same (specification configuration configure rule \$1 polic\$2 setting condition \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/02 19:05
S63	3	(rule\$1 parameter\$1) near5 (creat\$3 generat\$3) near5 (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 19:01
S64	0	(@rlad<"20010628" @ad<"20010628") and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/04 11:26
S65	156	(creat\$3 generat\$3) near5 (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 19:03
S66	109	(@rlad<"20010628" @ad<"20010628") and S65	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 18:58
S67	14	(administrator\$1 user\$1) near5 (creat\$3 generat\$3) near5 (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 19:04
S68	8	(@rlad<"20010628" @ad<"20010628") and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 19:01
S69	6	(rule\$1 parameter\$1) near5 (print\$2 adj queue\$1) near10 (user\$1 admin\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 19:02
S70	1	(@rlad<"20010628" @ad<"20010628") and S69	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 19:02
S71	10	(rule\$1 parameter\$1 policy) near10 (print\$2 adj queue \$1) near10 (user\$1 admin\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 19:02
S72	2	(@rlad<"20010628" @ad<"20010628") and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 19:04
S73	1619	(print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 19:03

S74	1058	(@rlad<"20010628" @ad<"20010628") and S73	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 19:04
S75	784	(administrator\$1 user\$1) same (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 19:04
S76	787	(admin\$8 user\$1) same (print \$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 19:05
S77	327	(produc\$4 new generat\$3 creat\$3 develop\$3 mak\$3) near15 (print\$2 adj queue \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 19:06
S78	2	"0824235"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 17:06
S79	24	"824235"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 17:08
S80	1	"20030005097"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 17:08
S81	1	"6989910".pn.	USPAT	OR	OFF	2006/12/08 12:27
S82	3822	358/1.15	USPAT	OR	OFF	2006/12/08 12:27
S83	0	"20030005097"	USPAT	OR	OFF	2006/12/08 12:27
S84	1	"20030005097"	US-PGPUB; USPAT	OR	OFF	2006/12/08 12:27
S85	1	"20030005097" and policy	US-PGPUB; USPAT	OR	OFF	2006/12/08 12:27
S86	1	"20030005097" and policy	US-PGPUB; USPAT	OR	ON	2006/12/08 12:27
S87	12	"952513"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:27
S88	6	"6678068"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:27
S89	1	"6820124"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:27
S90	13	"6628413"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:27

S91	0	"10043924"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:27
S92	29	"6538669"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:27
S93	5635110	system (manager\$1 operator \$1 administrator\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:27
S94	5232126	system (manager\$1 operator \$1 administrator\$1) and print \$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:27
S95	160298	system and (manager\$1 operator\$1 administrator\$1) and print\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:27
S96	60633	system near15 (manager\$1 operator\$1 administrator\$1) and print\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S97	2950	system near15 (manager\$1 operator\$1 administrator\$1) and (network near2 print\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S98	11995434	((@rlad<"20010628" @ad<"20010628"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S99	1879	S97 and S98	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S100	361911	S93 same (sav\$3 stor\$3 queu \$4) same (specification configuration configure rule \$1 setting condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S101	905	S100 and S99	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S102	365511	S93 same (sav\$3 stor\$3 queu \$4) same (specification configuration configure rule \$1 polic\$2 setting condition \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S103	11995434	((@rlad<"20010628" @ad<"20010628"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S104	5073	358/1.15	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28

S105	1182159	(manager\$1 operator\$1 administrator\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S106	253842	S105 and (sav\$3 stor\$3 queue\$4) same (specification configuration configure rule \$1 polic\$2 setting condition \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 13:24
S107	135851	S106 and S103	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S108	2058	S107 and (network near2 print\$2) and printer\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S109	404	S108 and S104	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S110	173	S108 and S104 and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S111	173	S108 and S104 and queue and printers	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S112	9366	S107 and network same printers	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S113	721	S112 and S104	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S114	259	S112 and S104 and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S115	272	S112 and S104 and queue\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S116	0	"20030005097"	USPAT	OR	OFF	2006/12/08 12:28
S117	1	"20030005097" and policy	US-PGPUB; USPAT	OR	ON	2006/12/08 12:28
S118	0	"10043924"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:28



S119	2950	system near15 (manager\$1 operator\$1 administrator\$1) and (network near2 print\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S120	1879	S119 and S103	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S121	1	"20030005097"	US-PGPUB; USPAT	OR	OFF	2006/12/08 12:28
S122	1	"20030005097" and policy	US-PGPUB; USPAT	OR	OFF	2006/12/08 12:28
S123	1	"6820124"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:28
S124	12	"952513"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:28
S125	6	"6678068"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:28
S126	13	"6628413"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:28
S127	29	"6538669"	US-PGPUB; USPAT; EPO	OR	ON	2006/12/08 12:28
S128	160	(creat\$3 generat\$3) near5 (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S129	3	(rule\$1 parameter\$1) near5 (creat\$3 generat\$3) near5 (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S130	0	((@rld<"20010628" @ad<"20010628")) and S129	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S131	344	(produc\$4 new generat\$3 creat\$3 develop\$3 mak\$3) near15 (print\$2 adj queue \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S132	6	(rule\$1 parameter\$1) near5 (print\$2 adj queue\$1) near10 (user\$1 admin\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S133	12	(rule\$1 parameter\$1 policy) near10 (print\$2 adj queue \$1) near10 (user\$1 admin\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S134	827	(admin\$8 user\$1) same (print \$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28

S135	1	(@rlad<"20010628" @ad<"20010628") and S132	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S136	824	(administrator\$1 user\$1) same (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S137	1706	(print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S138	1087	(@rlad<"20010628" @ad<"20010628") and S137	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S139	2	(@rlad<"20010628" @ad<"20010628") and S133	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S140	14	(administrator\$1 user\$1) near5 (creat\$3 generat\$3) near5 (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S141	8	(@rlad<"20010628" @ad<"20010628") and S140	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S142	109	(@rlad<"20010628" @ad<"20010628") and S128	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 12:28
S143	2	"0824235"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2006/12/08 12:28
S144	24	"824235"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2006/12/08 12:28
S145	1	"20030005097"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2006/12/08 12:28
S146	1	"20030149761"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/08 13:29

S147	2	"0952513"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/14 12:54
S148	16	"952513"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/14 12:55
S149	2614	print near5 queue\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/14 15:12
S150	6	(rule\$1 parameter\$1) near5 (print\$2 adj queue\$1) near10 (user\$1 admin\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/14 15:13
S151	1	(@rlad<"20010628" @ad<"20010628") and S150	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/14 15:13
S152	1	S151	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/14 15:13
S153	12007366	(@rlad<"20010628" @ad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/14 15:13
S154	690	manag\$3 same S149	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/14 15:13
S155	432	S154 and S153	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/14 15:14
S156	432	S155 and S149	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/14 15:15
S157	420	creat\$3 same S149	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/14 15:15
S158	95	S157 and S156	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/14 15:15
S159	1	"20040162879"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 12:18

S160	1	"20040162879" and header	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 13:42
S161	12007703	((@rlad<"20010628" @ad<"20010628"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 13:43
S162	117	subscription near5 header	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 13:44
S163	68	S162 and S161	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 13:50
S164	4	S163 and (header with mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 13:44
S165	3	("2002/0087649").URPN.	USPAT	OR	ON	2007/02/16 13:47
S166	1	S165 and S161	USPAT	OR	ON	2007/02/16 13:47
S167	60	S163 and ((electronic) "e- mail" email)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 13:50
S168	7	"6678068"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/05/30 17:27
S169	11802	709/223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/05/30 17:27
S170	24451	maximum with print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/05/30 17:28
S171	4472	maximum with queue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/05/30 17:28
S172	49	S170 same S171	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/05/30 17:28

S173	12022389	((@rlad<"20010628" @ad<"20010628"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/30 17:33
S174	34	S172 and S173	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/05/30 17:34
S175	2	"20030033372"	US-PGPUB; USPAT	OR	OFF	2007/05/31 10:05
S176	1	"20040128357"	US-PGPUB; USPAT	OR	OFF	2007/05/31 10:06
S177	0	"09892525"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/12/03 13:06
S178	4690	print\$3 with queue\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 13:32
S179	185	max\$3 near2 queue\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 13:28
S180	0	S178 same S179	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 13:28
S181	0	max\$3 near5 print\$3 near5 queue\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 13:28
S182	364	max\$3 near5 queue\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 13:28
S183	12054165	((@rlad<"20010628" @ad<"20010628"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 13:29
S184	213	S183 and S182	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 13:29

S185	58	S184 and print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 13:29
S186	2747	S178 and S183	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 13:32
S187	424	creat\$3 with S178	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 13:33
S188	276	S186 and S187	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 14:20
S189	130	creat\$3 with print with queues with (devices printers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 14:24
S190	76	S189 and S183	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 14:20
S191	6	creat\$3 with number with print with queues with (devices printers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 14:27
S192	15	creat\$3 with number with (devices printers) with queues	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 14:31
S193	6	S192 and S183	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 14:28
S194	0	creat\$3 with max\$4 with (devices printers) with queues	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 14:56
S195	413	creat\$3 with max\$4 with (devices printers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 14:46

S196	29	S195 and queue\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 14:33
S197	16	S196 and S183	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 14:33
S198	175	S195 and S183	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 14:47
S199	61	creat\$3 with max\$4 with number with(devices printers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 14:58
S200	22	S199 and S183	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 14:56
S201	77	designat\$3 with max\$4 with number with(devices printers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:03
S202	37	S201 and S183	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 14:59
S203	129	designat\$3 with max\$4 with number with(print\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:05
S204	77	S203 and S183	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:03
S205	10	designat\$3 with max\$4 with number with (print\$3 near2 device\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:15
S206	2	designat\$3 with max\$4 with number with (print\$3 near2 devices)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:06

S207	1150	(print near2 queues) with (devices printers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:18
S208	679	S207 and S183	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:19
S209	1150	(print near2 "queues") with ("devices" "printers")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:18
S210	679	S209 and S183	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:30
S211	0	(user\$1 administrators) with (desinate\$3 configur\$3) with (print\$3 near5 device1) with (queues)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:32
S212	0	(user\$1 administrators) with (desinate\$3 configur\$6) with (print\$3 near5 device1) with (queues)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:32
S213	0	(user\$1 administrators) with (desinate\$3 configur\$6) with (print\$3 near5 device1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:32
S214	0	(user\$1 administrators) with (print\$3 near5 device1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:32
S215	101175	(user\$1 administrators) with (print\$3 device1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:32
S216	0	(user\$1 administrators) with (desinate\$3 configur\$3) with (print\$3 near5 devices) with (queues)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:33
S217	264147	(user\$1 administrators) with (print\$3 devices)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:33



S218	245	(user\$1 administrators) with (desinate\$3 configur\$3 creat \$3) with (print\$3 near\$5 devices)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:33
S219	79	S218 and S183	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:34
S220	11	S219 and S178	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:42
S221	1406	(max\$4 with printers) and (configuration with printers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:43
S222	756	(max\$4 near\$5 printers) and (configuration with printers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:43
S223	703	(max\$4 near\$5 printers) and (configuration near\$10 printers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:46
S224	313	S223 and S183	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:43
S225	78	S224 and S178	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:43
S226	83	((user\$1 administrators) same (max\$4 near\$5 printers)) and (configuration near\$10 printers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:47
S227	40	S226 and S183 and S178	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:52
S228	10490	set\$4 near\$15 queues and S183	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:53

S229	299	set\$4 near15 queues same printers and S183	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:54
S230	39	set\$4 near15 queues near15 support\$4 same printers and S183	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 15:57
S231	3	(user or admin or administrator) near15 queues near15 support\$4 same printers and S183	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 17:29
S232	22912	709/223 358/1.13 707/201 709/245	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 17:30
S233	1406	(max\$4 with printers) and (configuration with printers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 17:31
S234	76	S232 and S233	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/03 17:31
S235	1	"5857010".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/04 11:25
S236	243570	power with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/04 11:25
S237	6879	(power near2 line\$1) with (data near2 line\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/04 11:27
S238	12054548	(@riad<"20010628" @ad<"20010628")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/04 11:26
S239	50	hub same S237	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/04 11:26

S240	12	S239 and S238	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/04 11:27
S241	8872	cable with power with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/04 11:27
S242	197	S241 same hub	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/04 11:28
S243	93	S242 and S238	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/04 13:57
S244	1	"20040010348"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/04 14:09
S245	348	(power with data) with adaptor\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/04 14:09
S246	14	S245 same hub	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/04 14:10
S247	12054548	((@rad<"20010628" @ad<"20010628"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/04 14:10
S248	14	S246 and S247	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/04 15:12
S249	10709	((two near2 wires) with (power data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/04 15:12
S250	897	((two near2 wires) with (power)) and ((two near2 wires) with (data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/04 15:13

S251	679	((two near2 wires) with (power)) same ((two near2 wires) with (data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/04 15:13
S252	127	((two near2 wires) with (power)) same ((two near2 wires) with (data)) same cable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/04 15:13
S253	1912	((wire\$1) with (power)) same ((wire\$1) with (data)) same cable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/04 15:13
S254	33	((wire\$1) with (power)) same ((wire\$1) with (data)) same cable same hub	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/04 15:14
S255	10	S254 and S247	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/04 16:59
S256	26696	709/223 709/224 455/3.1 455/3.3 395/750.03 340/310.01 370/445	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/04 17:00
S257	122	S256 and S253	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/12/04 17:00
S258	1	"20030005097" and (media medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:01
S259	19	"5930465".pn. "952513" "6678068".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:33
S260	10658	358/1.15.ocls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:44
S261	1	"20030005097"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:45

S262	0	"20030005097"	USPAT	OR	OFF	2008/07/02 11:55
S265	1	"20030005097" and policy	US-PGPUB; USPAT	OR	ON	2008/07/02 11:55
S270	0	"10043924"	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 11:55
S272	6335023	system (manager\$1 operator \$1 administrator\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S273	5918097	system (manager\$1 operator \$1 administrator\$1) and print \$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S274	192152	system and (manager\$1 operator\$1 administrator\$1) and print\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S275	74778	system near15 (manager\$1 operator\$1 administrator\$1) and print\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S276	3742	system near15 (manager\$1 operator\$1 administrator\$1) and (network near2 print\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S277	12075444	((@riad<"20010628" @ad<"20010628"))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S278	2127	S276 and S277	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S279	432562	S272 same (sav\$3 stor\$3 queu\$4) same (specification configuration configure rule \$1 setting condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S280	1019	S279 and S278	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S281	437601	S272 same (sav\$3 stor\$3 queu\$4) same (specification configuration configure rule \$1 polic\$2 setting condition \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S282	7368	358/1.15	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S283	0	"20030005097"	USPAT	OR	OFF	2008/07/02 11:55

S286	1	"20030005097" and policy	US-PGPUB; USPAT	OR	ON	2008/07/02 11:55
S291	0	"10043924"	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 11:55
S293	74778	system near15 (manager\$1 operator\$1 administrator\$1) and print\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S294	3742	system near15 (manager\$1 operator\$1 administrator\$1) and (network near2 print\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S296	0	((@rld<"20010628" @ad<"20010628") and S295	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S297	195	(creat\$3 generat\$3) near5 (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S298	115	((@rld<"20010628" @ad<"20010628") and S297	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S299	18	(administrator\$1 user\$1) near5 (creat\$3 generat\$3) near5 (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S301	8	(rule\$1 parameter\$1) near5 (print\$2 adj queue\$1) near10 (user\$1 admin\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S303	14	(rule\$1 parameter\$1 policy) near10 (print\$2 adj queue \$1) near10 (user\$1 admin\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S305	2058	(print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S306	1167	((@rld<"20010628" @ad<"20010628") and S305	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S307	1007	(administrator\$1 user\$1) same (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S308	1011	(admin\$8 user\$1) same (print \$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55

S309	425	(product\$4 new generat\$3 creat\$3 develop\$3 mak\$3) near15 (print\$2 adj queue \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S314	5676	358/1.15	USPAT	OR	OFF	2008/07/02 11:55
S315	0	"20030005097"	USPAT	OR	OFF	2008/07/02 11:55
S318	1	"20030005097" and policy	US-PGPUB; USPAT	OR	ON	2008/07/02 11:55
S323	0	"10043924"	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 11:55
S325	3742	system near15 (manager\$1 operator\$1 administrator\$1) and (network near2 print\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S326	7368	358/1.15	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S327	0	"20030005097"	USPAT	OR	OFF	2008/07/02 11:55
S328	1	"20030005097" and policy	US-PGPUB; USPAT	OR	ON	2008/07/02 11:55
S329	0	"10043924"	US-PGPUB; USPAT; EPO	OR	ON	2008/07/02 11:55
S330	3742	system near15 (manager\$1 operator\$1 administrator\$1) and (network near2 print\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S338	195	(creat\$3 generat\$3) near5 (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S340	0	(@lad<"20010628" @ad<"20010628") and S339	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S341	425	(product\$4 new generat\$3 creat\$3 develop\$3 mak\$3) near15 (print\$2 adj queue \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S342	8	(rule\$1 parameter\$1) near5 (print\$2 adj queue\$1) near10 (user\$1 admin\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S343	14	(rule\$1 parameter\$1 policy) near10 (print\$2 adj queue \$1) near10 (user\$1 admin\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55

S344	1011	(admin\$8 user\$1) same (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S346	1007	(administrator\$1 user\$1) same (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S347	2058	(print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S348	1167	((@rlad<"20010628" @ad<"20010628") and S347	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S350	18	(administrator\$1 user\$1) near5 (creat\$3 generat\$3) near5 (print\$2 adj queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S352	115	((@rlad<"20010628" @ad<"20010628") and S338	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S359	3057	print near5 queue\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S360	8	(rule\$1 parameter\$1) near5 (print\$2 adj queue\$1) near10 (user\$1 admin\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S361	1	((@rlad<"20010628" @ad<"20010628") and S360	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S362	1	S361	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S363	811	manag\$3 same S359	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S364	496	creat\$3 same S359	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S367	158	subscription near5 header	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55



S370	15012	709/223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/07/02 11:55
S371	5138	maximum with queue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/07/02 11:55
S374	0	"09892525"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/07/02 11:55
S375	199	max\$3 near2 queue\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S376	0	max\$3 near5 print\$3 near5 queue\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S378	15	creat\$3 with number with (devices printers) with queues	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55
S379	0	creat\$3 with max\$4 with (devices printers) with queues	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/02 11:55

7/2/2008 12:29:03 PM

C:\Documents and Settings\ktang4\My Documents\EAST\Workspaces\09892525.wsp